



ELECTRICAL PRODUCTS
for the Professional

QUALITY • PERFORMANCE • VALUE

CATALOGUE AND PRICE GUIDE

2010

PVC INSULATED / PVC SHEATHED

25mm METER TAIL SET



- Comprises:
2m 6181Y 25m Grey/Brown,
2m 6181Y 25m Grey/Blue,
2m 6491X 16m Green/Yellow.
- PVC insulated to BS6004.
- BASEC approved.



	Price		Ref. No.
	1	5+	
25mm Meter Tail Set	38.80	37.45	AL4109

6181YH HARMONISED CIRCULAR SINGLE CORE - PRE-CUT LENGTHS



- Easy to handle.
- Suitable for surface wiring installations.
- BS6004.
- BASEC approved.
- Voltage rating 300/500v.



Conductor Area (mm ²)	Conductor Colour	Sheath Colour	Drum Length	Price		Ref. No.
				1	5+	
16	Brown	Grey	5	19.75	19.00	AL4117
16	Blue	Grey	5	19.75	19.00	AL4124
25	Brown	Grey	5	34.25	32.85	AL4166
25	Blue	Grey	5	34.25	32.85	AL4202

ARCTIC GRADE FLEXIBLE CABLE

3183Y 3 CORE CIRCULAR CABLE PVC SHEATHED TO -40°C



- Temperature range -40°C to +70°C
- Suitable for general purpose site electrical applications.
- BS6500.
- BASEC approved.
- Voltage rating 300/500v.



Conductor Area (mm ²)	Conductor Colour	Sheath Colour	Drum Length	Price		Ref. No.
				1	5+	
1.5	Brown/Blue	Blue	100	109.85	105.60	AL6200
1.5	Brown/Blue	Yellow	100	109.85	105.60	AL6201
2.5	Brown/Blue	Blue	100	174.60	167.05	AL6202
2.5	Brown/Blue	Yellow	100	174.60	167.05	AL6203

FREE RECYCLING

We'll recycle any Alto product Free of Charge plus any product which needs to be recycled when you buy an Alto replacement.



ARMOURED CABLES

6943XH 3 CORE, STRANDED SWA XLPE INSULATED / PVC SHEATHED



- For mains distribution, underground ducts or surface installations.
- BASEC approved, BS5467 or BS6346 certified, voltage rating 600/1000v.
- Sheath colour black.



Conductor area (mm ²)	Drum length m	Price		Ref. No.
		1	3+	
1.5	25	56.20	54.05	AL4034
1.5	50	105.25	101.15	AL4036
2.5	25	67.35	64.85	AL4039
2.5	50	125.10	120.30	AL4043
4	25	92.20	88.70	AL4044
4	50	176.05	169.35	AL4047
6	25	114.80	110.30	AL4049
6	50	220.25	211.80	AL4051
10	25	182.05	175.05	AL4053

LOW VOLTAGE CABLES

2 CORE BELL WIRE



- One side ribbed for easy polarity identification.
- 0.6mm diameter, annealed copper conductors 50v DC maximum.



Sheath colour	Drum length m	Price		Ref. No.
		1	5+	
White	100	14.75	12.35	AL6230

6944XH 4 CORE, STRANDED SWA XLPE INSULATED / PVC SHEATHED




- For mains distribution, underground ducts or surface installations.
- BASEC approved, BS5467 or BS6346 certified, voltage rating 600/1000v.
- Sheath colour black.



Conductor area (mm ²)	Drum length m	Price		Ref. No.
		1	3+	
1.5	25	64.70	62.30	AL4064
1.5	50	123.25	118.50	AL4068
2.5	25	80.55	77.45	AL4069
2.5	50	151.85	146.05	AL4079
4	25	108.50	104.25	AL4082
4	50	214.70	206.45	AL4102
6	25	149.55	143.75	AL4103
6	50	290.05	278.85	AL4104
10	25	230.85	222.05	AL4107

LOW VOLTAGE ALARM CABLE



- 100m Drum length.
- Available in 4, 6, 8 and 12 core.
- 7 x 0.19mm diameter, annealed copper conductors.



Sheath Colour	Drum Length m	Price		Ref. No.
		1	3+	
4	White	31.75	30.55	AL6192
6	White	48.40	46.60	AL6193
8	White	60.75	58.40	AL6194
12	White	71.85	68.95	AL6195

CO-AXIAL / SATELLITE CABLE




- Satellite cable, 75 ohm impedance c/w dielectric airspace.
- Coaxial cable, solid 1mm annealed cable, braided copper screen, 750 ohm impedance.



Sheath colour	Drum length (m)	Price		Ref. No.
		1	5+	
Satellite				
Black	100	38.55	34.65	AL6220
Coaxial				
Brown	100	25.90	24.30	AL6221
White	100	30.15	27.75	AL6222

CAT5E DATA CABLE



- 4 pair UTP solid cable, DELTA EC approved.
- Conforms to EIA/TIA 568A, ISO 11801 EN 50173.



Sheath colour	Drum length m	Price		Ref. No.
		1	5+	
Grey	305	91.70	82.55	AL2069

TELEPHONE CABLE



- Complies with BT specification CW1308.
- Tinned annealed copper conductors.
- Drum length 100m.



No. of Pairs	Sheath Colour	Price		Ref. No.
		1	5+	
2	White	26.25	25.10	AL4920
3	White	26.50	25.50	AL4921
4	White	40.00	38.50	AL4922

BESPOKE CABLE CUTTING SERVICE



Now we can cut cable to size for same day / next day delivery from our huge stocks in Dagenham including a full range of armoured and power cable.

CABLE RESIN JOINT KITS



- Resin filled 600/1000v cable jointed kits.
- Complies with BS7888 and BS6910 Pt 1 and HD 623SI.
- Size 6, 10, 16mm suitable for cables to BS5467 and BS6346.
- Each kit contains:
Transparent high impact resisting shells, Enclosed polyurethane resin system and disposable gloves, Earth continuity material, Conductor connectors, Full instructions, Sealing tape.
- Stable at temperatures -35°C to +85°C.



Size mm	Price		Ref. No.
	1	3+	
Industrial Straight LV Resin Joint Kits			
1.5 to 6	33.20	29.95	AL1676
10	49.25	44.30	AL1677
16	64.60	58.20	AL1678
Universal Straight LV Resin Joint Kits			
25 to 35	82.35	74.10	AL1679
50 to 95	187.15	168.50	AL1696
120 to 185	373.70	336.35	AL1697
Branch Kits			
1.5 to 6	77.80	70.05	AL1698
10 to 16	99.15	89.20	AL1699

CABLE CLEATS - HEAVY DUTY



- Corrosion and UV light resistant.
- High strength for use with PVC and XLPE armoured cable.
- Manufactured in low density black polyolefin.
- Colour black.



Size (mm)	Pack Quantity	Price per Pack		Ref. No.
		1	3+	
7.6	50	6.60	6.00	AL6100
10.2	50	6.75	6.10	AL6101
12.7	50	7.10	6.85	AL6102
15.2	50	9.60	8.65	AL6103
17.8	50	10.50	9.45	AL6104
20.3	50	12.15	11.05	AL6105
22.8	50	13.70	12.35	AL6106
25.4	50	14.15	12.80	AL6107
27.7	20	9.60	8.60	AL6108
30.4	20	10.35	9.30	AL6109
33.0	20	11.05	9.95	AL6110
35.6	20	11.70	10.50	AL6111
40.6	20	13.30	11.95	AL6112
45.7	20	15.75	14.20	AL6113
50.8	20	21.05	18.95	AL6114

CABLE TELCLEAT



- For use with PVC and XLPE armoured cable.
- Manufactured in black polythene.



	Pack Quantity	Price per Pack		Ref. No.
		1	3+	
10-15mm	25	6.35	5.70	AL1646
12-17mm	25	9.60	8.60	AL1647
15-20mm	25	10.20	9.25	AL1648
18-24mm	25	11.35	10.20	AL1649
22-29mm	10	5.40	4.90	AL1658
26-34mm	10	9.50	8.55	AL1659
32-42mm	10	11.15	10.10	AL1666
39-51mm	10	14.30	12.85	AL1667

CABLE GLANDS

CABLE GLAND KITS - INDOOR AND OUTDOOR



- High quality, fast, easy to install kits comprising gland(s), locknut(s), earth tag(s) and shroud(s).
- Superior cable armour anchorage and earth continuity.
- Manufactured from a quality grade of brass within an IS9001 system.
- Suitable for all SWA cables.
- Complies with BS6121 Part 1: 1989.



	Pack Quantity	Price per Pack		Ref. No.
		1	5+	
Indoor BW 20smm	2	5.75	5.20	AL3090
Indoor BW 20mm	2	8.35	7.40	AL3091
Indoor BW 25mm	2	13.95	12.60	AL3092
Indoor BW 32mm	2	18.60	16.85	AL3093
Indoor BW 40mm	1	22.25	20.15	AL3094
Indoor BW 50mm	1	46.10	41.55	AL3095
Indoor BW 63mm	1	62.95	56.65	AL3001
Indoor BW 75mm	1	84.75	76.30	AL3014
Outdoor CW 20smm	2	14.55	13.20	AL3096
Outdoor CW 20smm	2	14.85	13.45	AL3019
Outdoor CW 20mm	2	20.10	18.15	AL3097
Outdoor CW 25mm	2	29.10	26.20	AL3098
Outdoor CW 32mm	1	26.10	23.55	AL3099
Outdoor CW 40mm	1	39.05	35.15	AL3110
Outdoor CW 50mm	1	65.30	58.85	AL3023
Outdoor CW 63mm	1	82.15	74.00	AL3024
Outdoor CW 75mm	1	108.05	97.30	AL3028

WE STOCK A FULL RANGE OF PPE PRODUCTS

See Pages 243 to 253 for a range of protective workwear including goggles, high visibility jackets, boots and ear defenders



LSF CABLE GLAND KITS



- LSF (zero halogen) cable gland kits for wet and dry environments.
- LUL approved to EN42-A2 1996.



	Pack Quantity	Price per Pack		Ref. No.
		1	5+	
Indoor BW 20smm	2	8.85	7.95	AL3190
Indoor BW 20mm	2	11.75	10.55	AL3191
Indoor BW 25mm	2	18.90	17.15	AL3192
Indoor BW 32mm	2	28.10	25.35	AL3193
Indoor BW 40mm	1	44.80	40.35	AL3059
Indoor BW 50mm	1	45.75	41.20	AL3067
Indoor BW 63mm	1	81.20	73.10	AL3068
Indoor BW 75mm	1	104.15	93.80	AL3083
Outdoor CW 20smm	2	28.75	26.00	AL3084
Outdoor CW 20ssmm	2	29.00	27.85	AL3087
Outdoor CW 20mm	2	32.10	28.95	AL3088
Outdoor CW 25mm	2	43.90	39.50	AL3103
Outdoor CW 32mm	1	38.55	34.85	AL3104
Outdoor CW 40mm	1	60.05	54.10	AL3105
Outdoor CW 50mm	1	95.40	91.60	AL3106
Outdoor CW 63mm	1	125.55	112.95	AL3107
Outdoor CW 75mm	1	187.15	168.55	AL3108

INDUSTRIAL CXT CABLE GLAND KITS



- For use with flexible cable (eg. SY/CY cable) where it is essential to produce an IP66 seal on the cable outer sheath and clamp the wire braid for electrical continuity.
- Each kit contains: A2 gland, Brass locknut, PVC shroud.
- Manufactured to BS6121 pt. 1:1989.
- Pack of 2.



	Price per Pack		Ref. No.
	1	5+	
Industrial CXT 20smm	10.85	10.40	AL3120
Industrial CXT 20mm	12.85	12.35	AL3121
Industrial CXT 25mm	18.70	18.00	AL3122

For Cable Gland Selector Chart see page 170

FREE RECYCLING

We'll recycle any Alto product Free of Charge plus any product which needs to be recycled when you buy an Alto replacement.



INDUSTRIAL A2 CABLE GLAND KITS



- For use with flexible cable (eg. YY cable) where it is essential to produce an IP66 seal on the cable outer sheath.
- Each kit contains:
Brass locknut, PVC shroud.
- Manufactured to BS6121 pt. 1:1989.
- Pack of 2.



	Price per Pack		Ref. No.
	1	5+	
Industrial A2 20smm	9.25	8.75	AL3130
Industrial A2 20mm	9.50	9.05	AL3131
Industrial A2 25mm	14.90	14.30	AL3132

NYLON CABLE GLANDS



- Nylon 6.6 construction with nitrile rubber bushes c/w locknuts.
- For use with all non-armoured cables.
- Temperature range -20°C to +100°C.
- Pack Quantity 10.



	Cable Size mm	Colour	Price per Pack		Ref. No.
			1	5+	
20mm XS	4-7	Black	8.05	7.30	AL3186
20mm S	7-10.5	Black	8.45	7.65	AL3180
20mm S	7-10.5	White	8.45	7.65	AL3181
20mm S	7-10.5	Red	9.40	8.55	AL3182
20mm L	8-13	Black	11.25	10.10	AL3183
20mm L	8-13	White	11.25	10.10	AL3184

DOME TOP CABLE GLANDS IP68



- Nylon 6.6 material.
- High mechanical strength and strain relief.
- Three piece construction for quick and easy application. Low Smoke and zero halogen (LSOH).
- Temperature range -30°C to +80°C.
- Complies with IP68. VDE approved.
- Pack Quantity 10.



	Cable Size mm	Colour	Price per Pack		Ref. No.
			1	5+	
20mm S	6-12	Black	10.50	9.40	AL3439
20mm S	6-12	Grey	10.50	9.40	AL3443
20mm S	6-12	Red	10.50	9.40	AL3444
20mm S	6-12	White	10.50	9.40	AL3445
20mm L	10-14	Black	15.05	13.50	AL3446
20mm L	10-14	White	15.05	13.50	AL3447

YOUR ACCOUNT IS AUTOMATICALLY VALID AT EVERY WF BRANCH

Your account together with all your commercial terms is automatically valid at every one of our branches nationwide.



Gland and Cleat Selector Chart							
Conductor Size (mm ²)	No. of Cores	PVC		LSF		Telcleat	Cable Cleats
		Indoor (BW)	Outdoor (CW)	Indoor(BW)	Outdoor (CW)		
1.5	2/3	AL3090	AL3019	AL3190	AL3087	AL1646	AL6102
	4	AL3090	AL3096	AL3190	AL3084	AL1646	AL6103
	7	AL3090	AL3096	AL3190	AL3088	AL1647	AL6103
	12	AL3091	AL3097	AL3192	AL3103	AL1649	AL6105
	19	AL3092	AL3098	AL3193	AL3103	AL1649	AL6106
	27	AL3093	AL3099	AL3193	AL3104	AL1658	AL6108
2.5	37	AL3093	AL3099	AL3193	AL3104	AL1659	AL6109
	2/3	AL3090	AL3096	AL3190	AL3084	AL1646	AL6103
	4	AL3090	AL3096	AL3190	AL3084	AL1647	AL6103
	7	AL3091	AL3097	AL3191	AL3088	AL1648	AL6105
	12	AL3092	AL3098	AL3192	AL3103	AL1649	AL6106
	19	AL3093	AL3099	AL3193	AL3104	AL1658	AL6108
4	27	AL3093	AL3099	AL3193	AL3104	AL1659	AL6111
	37	AL3094	AL3110	AL3059	AL3105	AL1659	AL6111
	2	AL3090	AL3096	AL3190	AL3084	AL1647	AL6103
	3	AL3090	AL3096	AL3190	AL3084	AL1647	AL6104
	4	AL3091	AL3097	AL3191	AL3088	AL1647	AL6104
	6	2	AL3091	AL3097	AL3190	AL3088	AL1648
3/4		AL3091	AL3097	AL3191	AL3088	AL1648	AL6105
10	2	AL3092	AL3098	AL3191	AL3088	AL1649	AL6105
	3	AL3092	AL3098	AL3192	AL3103	AL1649	AL6106
	4	AL3092	AL3098	AL3192	AL3103	AL1649	AL6107
16	2	AL3092	AL3098	AL3192	AL3103	AL1649	AL6105
	3	AL3092	AL3098	AL3192	AL3103	AL1649	AL6106
	4	AL3092	AL3099	AL3192	AL3103	AL1649	AL6107
25	2	AL3093	AL3099	AL3192	AL3103	AL1658	AL6107
	3	AL3093	AL3099	AL3193	AL3104	AL1658	AL6108
	4	AL3093	AL3099	AL3193	AL3104	AL1659	AL6109
35	2	AL3093	AL3099	AL3193	AL3104	AL1658	AL6109
	3	AL3093	AL3099	AL3193	AL3104	AL1659	AL6109
	4	AL3094	AL3110	AL3193	AL3104	AL1659	AL6111
50	2	AL3093	AL3099	AL3192	AL3103	AL1658	AL6108
	3	AL3093	AL3099	AL3193	AL3104	AL1659	AL6109
	4	AL3094	AL3110	AL3193	AL3104	AL1659	AL6111
70	2	AL3093	AL3099	AL3193	AL3104	AL1658	AL6109
	3	AL3094	AL3110	AL3193	AL3104	AL1659	AL6111
	4	AL3094	AL3110	AL3059	AL3105	AL1666	AL6111
95	2	AL3094	AL3110	AL3193	AL3104	AL1659	AL6111
	3	AL3094	AL3110	AL3059	AL3105	AL1666	AL6112
	4	AL3095	AL3023	AL3067	AL3106	AL1667	AL6112
120	2	AL3094	AL3110	AL3059	AL3105	AL1666	AL6112
	3	AL3095	AL3023	AL3059	AL3105	AL1666	AL6113
	4	AL3095	AL3023	AL3067	AL3106	AL1667	AL6114
150	2	AL3095	AL3023	AL3059	AL3105	AL1666	AL6113
	3	AL3095	AL3023	AL3067	AL3106	AL1667	AL6114
	4	AL3095	AL3024	AL3067	AL3106	AL1667	-
185	2	AL3095	AL3023	AL3067	AL3106	AL1667	AL6114
	3	AL3095	AL3023	AL3067	AL3106	AL1667	-
	4	AL3001	AL3024	AL3068	AL3107	-	-
240	2	AL3095	AL3023	AL3067	AL3106	AL1667	-
	3/4	AL3001	AL3024	AL3068	AL3107		
300	2	AL3001	AL3024	AL3067	AL3107		
	3	AL3001	AL3024	AL3068	AL3107		
	4	AL3014	AL3028	AL3083	AL3108		
400	2	AL3068	AL3107	AL3068	AL3107		
	3/4	AL3083	AL3108	AL3083	AL3108		

CRIMPING TOOLS



- Manufactured specifically for use with Alto ferrules and copper connectors. The requirements of BS5750 and ISO9000 management systems mean that working practices relating to crimping are now under greater scrutiny and the mixing of different manufacturers crimps and tools is not to be recommended.



	Crimping Sizes (mm)	Price Each	Ref. No.
Ratchet Crimping Tool	0.25 to 6	79.55	AL3290
Copper Connector Ratchet Tool	10 & 16	76.85	AL3292
General Purpose Crimping Tool	1.5 to 6	13.15	AL3291
Ferrule Crimping Tool	0.5 to 4	114.00	AL3295
Ratchet Ferrule Crimping Tool	4 to 16	131.45	AL3296

CRIMPING TOOL KIT



- An extensive selection of the most popular terminals in a tough carrying case with the AL3290 Crimping Tool.



	Price Each	Ref. No.
Crimping Tool kit	155.95	AL2825

PRE-INSULATED TERMINALS

Colours Red 0.25 - 1mm² Blue 1.5 - 2.5mm² Yellow 4 - 6mm²

TERMINALS



Pack Quantity	Price per Pack	Ref. No.
	1 10+	

Ring Terminals

	Pack Quantity	Price per Pack	Ref. No.	
	1	10+		
Red 3.2mm	100	17.10	15.40	AL5499
Red 3.7mm	100	17.10	15.40	AL5500
Red 4.3mm	100	17.60	15.90	AL5501
Red 5.3mm	100	17.60	15.90	AL5502
Red 6.5mm	100	21.10	19.15	AL5503
Red 8.5mm	100	23.50	21.25	AL5525
Red 10.5mm	100	27.70	25.05	AL5526
Blue 3.2mm	100	16.90	15.20	AL5527
Blue 3.7mm	100	16.90	15.20	AL5528
Blue 4.3mm	100	17.50	15.75	AL5509
Blue 5.3mm	100	17.50	15.75	AL5510
Blue 6.5mm	100	20.00	18.00	AL5511
Blue 8.5mm	100	23.50	21.25	AL5529
Blue 10.5mm	100	29.80	26.85	AL5530
Yellow 4.3mm	100	21.30	19.25	AL5516
Yellow 5.3mm	100	23.35	21.00	AL5517
Yellow 6.5mm	100	26.35	23.70	AL5518
Yellow 8.5mm	100	27.00	25.90	AL5519
Yellow 10.5mm	100	34.85	31.30	AL5531
Yellow 12mm	100	40.60	36.55	AL5532

Push-On Terminals

	Pack Quantity	Price per Pack	Ref. No.	
	1	10+		
Female, Red 2.8 x 0.5mm	100	28.40	25.70	AL5470
Female, Red 2.8 x 0.8mm	100	30.10	27.10	AL5471
Female, Red 4.8 x 0.5mm	100	31.95	28.85	AL5472
Female, Red 6.3 x 0.8mm	100	16.10	14.45	AL1292
Female, Blue 4.8 x 0.5mm	100	31.65	28.50	AL5474
Female, Blue 4.8 x 0.8mm	100	31.65	28.50	AL5475
Female, Blue 6.3 x 0.8mm	100	36.50	32.85	AL5513
Female, Yellow 6.35 x 0.8mm	100	41.05	36.95	AL5521
Male, Red 6.35 x 0.8mm	100	27.85	25.10	AL5479
Male, Blue 6.35 x 0.8mm	100	30.40	27.45	AL5480
Male, Yellow 6.35 x 0.8mm	100	37.45	33.75	AL5481

Push-On Terminals Fully Insulated

	Pack Quantity	Price per Pack	Ref. No.	
	1	10+		
Female, Red 6.35 x 0.5mm	100	32.80	29.60	AL5476
Female, Blue 6.35 x 0.8mm	100	36.80	33.25	AL5477
Female, Yellow 6.35 x 0.8mm	100	47.80	43.15	AL5478

- Quality terminals manufactured from pure electrolytic copper for optimum electrical conductivity.
- Barrel internal surface is rifled to improve contact with conductor strands and terminal is annealed after final machining.
- UL approved.

TERMINALS

	Pack Quantity	Price per Pack	Ref. No.
	1	10+	

Spade / Fork Terminals

Red 3.2mm	100	17.10	15.40	AL5533
Red 3.7mm	100	17.35	16.70	AL5534
Red 4.3mm	100	17.60	15.90	AL5508
Red 5.3mm	100	20.15	19.40	AL5535
Red 6.5mm	100	26.20	23.60	AL5536
Blue 3.2mm	100	20.15	18.15	AL5537
Blue 3.7mm	100	20.75	19.95	AL5538
Blue 4.3mm	100	22.65	21.65	AL5515
Blue 5.3mm	100	23.85	22.95	AL5539
Blue 6.5mm	100	26.05	23.55	AL5540
Yellow 4.3mm	100	22.65	21.65	AL5541
Yellow 5.3mm	100	23.85	21.50	AL5523
Yellow 6.5mm	100	27.85	25.10	AL5542

Bullet Terminals

Female, Red	100	29.40	26.55	AL5492
Male, Red	100	26.20	23.60	AL5490
Female, Blue	100	32.10	28.85	AL5493
Male, Blue	100	28.40	25.70	AL5491

Through Terminals

Red	100	19.65	17.85	AL5507
Blue	100	21.35	20.50	AL5514
Yellow	100	30.45	27.50	AL5522

Piggyback Terminals

Red 6.35 x 0.8mm	100	33.60	30.30	AL5482
Blue 6.35 x 0.8mm	100	37.45	33.75	AL5483

Pin Terminals

Red 9.5mm	100	17.10	15.40	AL5504
Red 12mm	100	18.80	16.95	AL5505
Blue 9.5mm	100	17.85	16.05	AL5512
Blue 12mm	100	18.80	16.95	AL5524
Yellow 14mm	100	34.85	31.30	AL5520

Blade Terminals

Red 10mm	100	20.85	18.80	AL5484
Red 16mm	100	23.85	21.50	AL1312
Red 18mm	100	24.70	22.25	AL5487
Blue 10mm	100	20.85	18.80	AL5485
Blue 18mm	100	24.50	22.10	AL5488
Yellow 10mm	100	29.80	26.85	AL5486
Yellow 18mm	100	40.60	36.55	AL5489

COPPER TUBE TERMINALS



- Manufactured from 99.9% pure electrical copper tube.
- Lugs are re-annealed to guarantee ductility.
- Optimum strength against vibration and pull-out for complete reliability.
- Complies with BS4579 Part 1.



Cable Size	Stud mm	Pack Quantity	Price per Pack		Ref. No.
			1	10+	
10mm	5	10	9.00	8.50	AL1241
10mm	6	10	9.00	8.50	AL5550
10mm	8	10	9.00	8.50	AL5551
10mm	10	10	9.00	8.50	AL1244
16mm	6	10	10.35	9.80	AL5553
16mm	8	10	10.35	9.80	AL5554
16mm	10	10	10.35	9.80	AL5555
25mm	6	10	11.25	10.60	AL1248
25mm	8	10	11.25	10.60	AL5557
25mm	10	10	11.25	10.60	AL5558
25mm	12	10	13.90	12.70	AL1253
35mm	6	4	7.70	7.15	AL1254
35mm	8	4	7.70	7.15	AL5561
35mm	10	4	7.70	7.15	AL5562
35mm	12	4	8.55	7.85	AL1258
50mm	8	4	11.05	9.80	AL5564
50mm	10	4	11.05	9.80	AL5565
50mm	12	4	12.20	11.25	AL1259
70mm	8	4	11.75	10.85	AL1266
70mm	10	4	11.75	10.85	AL5568
70mm	12	4	12.20	11.25	AL5569
95mm	10	4	18.10	16.65	AL5570
95mm	12	4	18.65	16.95	AL5571
95mm	16	4	19.60	17.95	AL1267
120mm	10	4	32.95	29.75	AL5572
120mm	12	4	33.30	30.15	AL5573
120mm	16	4	31.10	28.10	AL5574

COPPER THROUGH CONNECTORS



- Manufactured from 99.9% pure electrical copper tube.
- Lugs are re-annealed to guarantee ductility.
- Complies with BS4579.



Cable Size	Pack Quantity	Price per Pack		Ref. No.
		1	10+	
10mm	10	22.00	20.25	AL5590
16mm	10	27.05	24.45	AL5591
25mm	10	31.25	28.75	AL5592
35mm	4	8.70	7.85	AL5593
50mm	4	8.70	7.85	AL1268
70mm	4	10.50	9.50	AL1269
95mm	4	14.70	13.55	AL1270
120mm	4	17.85	16.30	AL1271

For larger sizes, the Alto crimp hire service provides a hassle free alternative to buying expensive hydraulic crimping tools. Please contact your local branch for further details.

BOOTLACE FERRULES



- Manufactured from bright tinned copper with polypropylene insulated sleeves.
- Suitable for tri-rated cable and provide a neat end to multi-stranded wires.
- Complies with DIN 46228.



Cable Size	Pin mm	Pack Quantity	Colour Ref	Price per Pack		Ref. No.
				1	5+	
French						
0.5mm	8	500	White	30.40	27.45	AL5200
0.75mm	8	500	Blue	30.40	27.45	AL5201
1mm	8	500	Red	30.40	27.45	AL5202
1.5mm	8	500	Black	30.40	27.45	AL5203
2.5mm	8	500	Grey	37.15	33.50	AL5204
4mm	9	500	Orange	59.05	53.10	AL5205
6mm	12	100	Green	20.30	18.35	AL5206
10mm	12	100	Brown	20.30	18.35	AL5207
16mm	12	100	Ivory	27.05	24.45	AL5208
German						
0.5mm	8	500	Orange	30.40	27.45	AL5210
0.75mm	8	500	White	30.40	27.45	AL5211
1mm	8	500	Yellow	30.40	27.45	AL5212
1.5mm	8	500	Red	30.40	27.45	AL5213
2.5mm	8	500	Blue	37.15	33.50	AL5214
4mm	9	500	Grey	59.05	53.10	AL5215
6mm	12	100	Black	20.30	18.35	AL5216
10mm	12	100	Ivory	20.30	18.35	AL5217
16mm	12	100	Green	27.05	24.45	AL5218
Twin French						
2 x 0.5mm	8	500	White	54.05	48.60	AL5220
2 x 0.75mm	8	500	Blue	54.05	48.60	AL5221
2 x 1mm	8	500	Red	54.05	48.60	AL5222
2 x 1.5mm	8	500	Black	54.05	48.60	AL5223
2 x 2.5mm	8	250	Grey	32.10	28.85	AL5224
Twin German						
2 x 0.5mm	8	500	Orange	54.05	48.60	AL5230
2 x 0.75mm	8	500	White	54.05	48.60	AL5231
2 x 1mm	8	500	Yellow	54.05	48.60	AL5232
2 x 1.5mm	8	500	Red	54.05	48.60	AL5233
2 x 2.5mm	8	250	Blue	32.10	28.85	AL5234

For suitable crimp tools see page 171

BELL WIRE CABLE CLIPS

	Pack Quantity	Colour	Price per Pack		Ref. No.
			1	5+	
Clips	100	Clear	3.25	3.05	AL5706

FLAT CABLE CLIPS - TWIN & EARTH



- Manufactured from impact resistant polypropylene.
- Safety nail bends before breaking. Hardened and zinc coated.
- Flexible design - for use with various sizes of cable.
- Temperature range -40°C to +80°C.


	Pack Quantity	Colour	Price per Pack		Ref. No.
			1	10+	
1 & 1.5mm	100	Grey	3.25	3.05	AL5709
2.5mm	100	Grey	3.40	3.10	AL5734
4 & 6mm	100	Grey	4.30	3.90	AL5738
10 & 16mm	50	Grey	7.70	7.00	AL5743
1 & 1.5mm	100	White	3.60	3.25	AL5733
2.5mm	100	White	3.75	3.35	AL5737
4 & 6mm	100	White	4.55	4.05	AL5739
10 & 16mm	100	White	7.60	6.90	AL5744

SAME DAY/NEXT DAY DELIVERY ON EVERY PRODUCT IN THIS CATALOGUE



Place your order by 5:30pm at your local WF branch and it will be delivered to your chosen location next day.

ROUND CABLE CLIPS



- Manufactured from impact resistant polypropylene.
- Safety nail bends before breaking.
- Hardened and zinc coated.
- Can withstand high impact together with extremes of heat and cold.

	Pack Quantity	Colour	Price per Pack		Ref. No.
			1	5+	
2-3mm	100	Clear	3.15	2.85	AL5752
3.5mm	100	White	3.15	2.85	AL5753
6-7mm	100	White	3.25	3.05	AL5754
7-8mm	100	Red	5.40	4.90	AL5759
7-8mm	100	White	3.75	3.30	AL5768
12-14mm	100	White	7.35	6.70	AL5769
15-18mm	100	White	13.15	11.95	AL5793

CO-AXIAL CABLE CLIPS

	Pack Quantity	Colour	Price per Pack		Ref. No.
			1	5+	
6-7mm	100	Black	4.45	3.95	AL5794
6-7mm	100	Brown	4.45	3.95	AL5795
6-7mm	100	White	4.45	3.95	AL5796

PVC SLEEVING



- For cable identification.
- Supplied in 100 metre coils.
- Complies with BS2848 Type 3, Class 85T.



	Colour	Price per Coil		Ref. No.
		1	5+	
2.0mm	Red	12.15	11.10	AL5098
3.0mm	Red	12.60	11.35	AL5099
4.0mm	Red	15.85	14.40	AL5105
2.0mm	Brown	12.15	11.10	AL5037
3.0mm	Brown	12.60	11.35	AL5038
4.0mm	Brown	15.85	14.40	AL5039
2.0mm	Black	12.15	11.10	AL5029
3.0mm	Black	12.60	11.35	AL5032
4.0mm	Black	15.85	14.40	AL5033
2.0mm	Blue	12.15	11.10	AL5034
3.0mm	Blue	12.60	11.35	AL5035
4.0mm	Blue	15.85	14.40	AL5036
2.0mm	Grey	12.15	11.10	AL5106
3.0mm	Grey	12.60	11.35	AL5107
4.0mm	Grey	15.85	14.40	AL5108
2.0mm	Green/Yellow	11.75	10.60	AL5083
3.0mm	Green/Yellow	12.00	10.80	AL5084
4.0mm	Green/Yellow	15.30	13.80	AL5088
5.0mm	Green/Yellow	19.25	17.30	AL5089

BRAIDED SLEEVING

- Robust sleeving to protect cable from abrasion.
- Temperature range -60°C to +160°C.
- 10 Metre length.



	Colour	Price per Length		Ref. No.
		1	5+	
5mm	Grey	17.20	16.55	AL6346
5mm	Black	17.20	16.55	AL6347
10mm	Grey	24.25	23.40	AL6348
10mm	Black	24.25	23.40	AL6349
15mm	Grey	29.25	28.10	AL6350
15mm	Black	29.25	28.10	AL6351
20mm	Grey	32.50	31.30	AL6352
20mm	Black	32.50	31.30	AL6353
40mm	Grey	62.75	60.40	AL6354
40mm	Black	62.75	60.40	AL6355

SPIRAL BINDING



- 5 metre length.
- Ideal for tidying and grouping cables.
- Re-usable.
- Temperature range -60°C to +90°C.



	Colour	Price per Length		Ref. No.
		1	5+	
4mm Internal Diameter	Neutral	12.30	11.75	AL6356
4mm Internal Diameter	Black	12.30	11.75	AL6357
9mm Internal Diameter	Neutral	15.50	14.95	AL6358
9mm Internal Diameter	Black	15.50	14.95	AL6359

SPLIT CABLE COVER



- Allows easy access to the cable at any point.
- Quick, easy installation.
- Can be used to wrap and cover wires, cables and hoses.
- Flame retarded PA6 material.
- Working temp -40°C to +90°C.
- UL94-V0.
- 2 metre lengths.



	Colour	Price per Length		Ref. No.
		1	5+	
20mm	Grey	15.35	14.85	AL6342
20mm	Black	15.35	14.85	AL6343
25mm	Grey	19.95	19.25	AL6344
25mm	Black	19.95	19.25	AL6345

PREMIUM CABLE TIES - TWO PIECE



- Two piece, c/w anti-magnetic steel locking barb.
- Low profile design of the head allows installation where space is at a premium.
- Halogen free, easy to use high quality two piece cable ties.
- Steel locking barb firmly anchored inside the tie head.
- Locking barb made from corrosion-proof anti magnetic, marine grade type 316 steel.
- Excellent resistance against vibration and external shock.
- Operating temperature range from -40°C to +85°C.
- Polyamide 6.6, UL approved to UL94-V2 flammability rating.



	Pack Quantity	Colour	Price per Pack		Ref. No.
			1	10+	
92 x 2.4mm	100	Natural	7.30	6.65	AL2182
92 x 2.4mm	100	Black	10.65	9.65	AL2183
140 x 3.6mm	100	Natural	14.65	13.25	AL2184
140 x 3.6mm	100	Black	15.45	13.95	AL2185
186 x 4.8mm	100	Natural	16.75	15.15	AL2186
186 x 4.8mm	100	Black	17.40	15.65	AL2187
208 x 3.6mm	100	Natural	18.15	16.30	AL2188
208 x 3.6mm	100	Black	18.75	17.00	AL2189
281 x 3.6mm	100	Natural	31.75	28.50	AL2190
281 x 3.6mm	100	Black	31.85	28.75	AL2191
293 x 4.8mm	100	Natural	34.40	30.95	AL2192
293 x 4.8mm	100	Black	35.15	31.60	AL2193
338 x 7.6mm	50	Natural	36.35	32.80	AL2194
338 x 7.6mm	50	Black	37.10	33.45	AL2195
360 x 4.8mm	100	Natural	41.35	37.30	AL2196
360 x 4.8mm	100	Black	43.05	38.70	AL2197

STANDARD CABLE TIES - ONE PIECE



- Quick and easy to install, the integrally formed nylon pawl combines low insertion with high locking strength.
- UL approved to UL94 V-2 flammability rating.
- Temperature range -40°C to +85°C.



	Pack	Colour	Price per Pack		Ref. No.
	Quantity		1	10+	
100 x 2.4mm	100	Natural	1.75	1.60	AL2198
100 x 2.4mm	100	Black	1.75	1.60	AL2199
140 x 3.6mm	100	Natural	3.00	2.60	AL2338
140 x 3.6mm	100	Black	3.00	2.60	AL2339
150 x 2.4mm	100	Natural	2.85	2.55	AL2340
150 x 2.4mm	100	Black	2.85	2.55	AL2341
186 x 4.7mm	100	Natural	5.55	5.00	AL2342
186 x 4.7mm	100	Black	5.55	5.00	AL2343
200 x 2.4mm	100	Natural	3.40	3.10	AL2344
200 x 2.4mm	100	Black	3.40	3.10	AL2345
200 x 3.6mm	100	Natural	4.55	4.05	AL2346
200 x 3.6mm	100	Black	4.55	4.05	AL2347
228 x 4.7mm	100	Natural	7.15	6.45	AL2348
228 x 4.7mm	100	Black	7.15	6.45	AL2349
291 x 4.7mm	100	Natural	7.70	6.95	AL2350
291 x 4.7mm	100	Black	7.70	6.95	AL2351
363 x 4.7mm	100	Natural	10.05	9.10	AL2352
363 x 4.7mm	100	Black	10.05	9.10	AL2353
375 x 7.6mm	100	Natural	19.30	17.35	AL2354
375 x 7.6mm	100	Black	19.30	17.35	AL2355

PREMIUM CABLE TIE MOUNTS



- High strength synthetic polymer adhesive.
- Complies to UL94 V2.
- Temperature range -40°C to +85°C.



	Pack	Colour	Price per Pack		Ref. No.
	Quantity		1	5+	
2 Way 19 x 19mm	100	Natural	48.70	43.95	AL2356
2 Way 19 x 19mm	100	Black	48.70	43.95	AL2357
4 Way 25 x 25mm	100	Natural	52.15	47.00	AL2358
4 Way 25 x 25mm	100	Black	52.15	47.00	AL2359

STANDARD CABLE TIE MOUNTS

- Standard industrial adhesive.
- Temperature range -20°C to +65°C.



	Pack	Colour	Price per Pack		Ref. No.
	Quantity		1	5+	
2 Way 19 x 19mm	100	Natural	13.50	12.20	AL2360
2 Way 19 x 19mm	100	Black	13.50	12.20	AL2361
4 Way 25 x 25mm	100	Natural	15.30	13.85	AL2362
4 Way 25 x 25mm	100	Black	15.30	13.85	AL2363



There's a WF Branch near you

BASILDON
Tel: 01268 532558
Fax: 01268 532559

BASINGSTOKE
Tel: 01256 810211
Fax: 01256 810231

BLACKPOOL
Tel: 01253 595000
Fax: 01253 592222

BRACKNELL
Tel: 01344 428282
Fax: 01344 861932

BRIGHTON
Tel: 01273 621511
Fax: 01273 621481

BURTON-ON-TRENT
Tel: 01283 541621
Fax: 01283 510382

CAMBERLEY
Tel: 01276 21101
Fax: 01276 21048

CAMBRIDGE
Tel: 01223 413400
Fax: 01223 246638

CHELMSFORD
Tel: 01245 494125
Fax: 01245 494210

CHICHESTER
Tel: 01243 532525
Fax: 01243 531444

COLCHESTER
Tel: 01206 577755
Fax: 01206 577799

COVENTRY
Tel: 024 7643 1000
Fax: 024 7644 2009

DARTFORD
Tel: 01322 277611
Fax: 01322 288519

DERBY
Tel: 01332 366001
Fax: 01332 366002

DUNSTABLE
Tel: 01582 475111
Fax: 01582 475119

EASTLEIGH
Tel: 023 8026 7411
Fax: 023 8026 7459

GILLINGHAM
Tel: 01634 373881
Fax: 01634 379049

HARLOW
Tel: 01279 417171
Fax: 01279 450902

HEATHROW
Tel: 01895 422211
Fax: 01895 421611

HEMEL HEMPSTEAD
Tel: 01442 212811
Fax: 01442 265460

HIGH WYCOMBE
Tel: 01494 443844
Fax: 01494 461534

HORSHAM
Tel: 01403 267444
Fax: 01403 242255

IPSWICH
Tel: 01473 748431
Fax: 01473 240936

LANCASTER
Tel: 01524 32323
Fax: 01524 37846

LEEDS
Tel: 0113 242 9311
Fax: 0113 242 9312

LEICESTER
Tel: 0116 254 0174
Fax: 0116 247 1362

LINCOLN
Tel: 01522 576125
Fax: 01522 576126

LIVERPOOL
Tel: 0151 707 1439
Fax: 0151 709 7191

MAIDENHEAD
Tel: 01628 777272
Fax: 01628 777528

MANCHESTER
Tel: 0161 230 2050
Fax: 0161 231 0631

MILTON KEYNES
Tel: 01908 648822
Fax: 01908 374204

NORWICH
Tel: 01603 788000
Fax: 01603 787506

NOTTINGHAM
Tel: 0115 986 9111
Fax: 0115 986 0424

OXFORD
Tel: 01865 718000
Fax: 01865 395261

PETERBOROUGH
Tel: 01733 349870
Fax: 01733 890922

PORTSMOUTH
Tel: 023 9266 6656
Fax: 023 9266 0146

PULBOROUGH
Tel: 01798 875312
Fax: 01798 875570

READING
Tel: 0118 958 7221
Fax: 0118 950 7323

SHEFFIELD
Tel: 01142 444727
Fax: 01142 444838

SOUTHAMPTON
Tel: 023 8063 8111
Fax: 023 8022 0329

SOUTHEND
Tel: 01702 461611
Fax: 01702 461030

STEVENAGE
Tel: 01438 728411
Fax: 01438 742466

STOCKPORT
Tel: 0161 480 6111
Fax: 0161 480 2161

STOKE-ON-TRENT
Tel: 01782 838463
Fax: 01782 811420

SWINDON
Tel: 01793 836900
Fax: 01793 834391

TRAFFORD PARK
Tel: 0161 872 5588
Fax: 0161 872 9997

TUNBRIDGE WELLS
Tel: 01892 544666
Fax: 01892 515577

WATFORD
Tel: 01923 239532
Fax: 01923 238601

WELLINGBOROUGH
Tel: 01933 679009
Fax: 01933 400264

WEST BROMWICH
Tel: 0121 554 6431
Fax: 0121 554 3868

WINCHESTER
Tel: 01962 844088
Fax: 01962 841398

WITNEY
Tel: 01993 702010
Fax: 01993 775391

WOKING
Tel: 01483 727571
Fax: 01483 725066

LONDON
BALHAM
Tel: 020 8673 2225
Fax: 020 8675 2296

BERNERS STREET
Tel: 020 7637 5393
Fax: 020 7636 4490

CHARLTON
Tel: 020 8301 8710
Fax: 020 8854 3643

CHISWICK
Tel: 020 8996 0304
Fax: 020 8742 3860

CITY
Tel: 020 7613 3321
Fax: 020 7613 5055

CROYDON
Tel: 020 8684 0191
Fax: 020 8684 5570

DAGENHAM
Tel: 020 8596 7200
Fax: 020 8984 9400

DOCKLANDS
Tel: 020 7538 2615
Fax: 020 7538 4049

ENFIELD
Tel: 020 8344 4170
Fax: 020 8804 9814

FULHAM
Tel: 020 7731 1315
Fax: 020 7384 2161

HENDON
Tel: 020 8203 0055/6382
Fax: 020 8203 6570

ILFORD
Tel: 020 8503 8866
Fax: 020 8503 8877

KINGS CROSS
Tel: 020 7267 5052
Fax: 020 7485 2446

KINGSTON
Tel: 020 8546 7787
Fax: 020 8547 2048

LEWISHAM
Tel: 020 8463 0900
Fax: 020 8463 0899

LEYTON
Tel: 020 8539 3094
Fax: 020 8558 2229

MITCHAM
Tel: 020 8640 6631
Fax: 020 8640 9801

PARK ROYAL
Tel: 020 8965 8799
Fax: 020 8965 0536



Certificate No. 3738



Certificate No. E00112

WF Electrical
313-333 Rainham Road South
Dagenham Essex RM10 8SX

Tel: 020 8517 7000
Fax: 020 8595 0519
Web Site: www.wf-online.com

If in doubt call
WF National Sales on
08457 35 34 33

All prices quoted are subject to V.A.T. E&OE



A Rexel Group Company